

Declaration of Performance 产品性能声明

C&D-YF-POP/EUCA COMBI-CE2+ 编号

Page 1/2

Product Identification 产品说明	POPLAR and EUCALYPTUS combi core PLYWOOD EN 636-2 S SAPELE FACED							
Product description 产品描述	SAPELE FACED PLYWOOD POPLAR and EUCALYPTUS combi core							
Product Types 产品类型	3.6mm	5.5mm	9mm	12mm	15mm	18mm	25mm	
Product Property 产品性能	See page 2 见第二页							

Name and contact address of the manufacturer 工厂联系信息	Xuzhou Yafei Wood Co., Ltd. Guanhu Town Pizhou City Jiangsu Province, China							
Mill identification 工厂编号	C&D-YF							
Harmonized standard 统一标准	EN 13986:2004							
AVCP System 检验技术标准	2+							
Notified Body CE 认证机构	ISTITUTO GIORDANO							
Certificate CE 证书	0407-CPR-552							

Essential characteristics 主要特点	Declared performance 声明性能	Technical Specification 技术标准
Release of formaldehyde (胶水)	Melamine glue E1	EN 13986 Annex B Note 2
Bond quality 胶合质量	Class 2	EN 314-2 Type testing 类型测试
Density 密度	560 Kg/m ³	EN 323 Type testing 类型测试
Moisture content 含水率	10%-16%	EN 322 Type testing 类型测试
Bending strength 弯曲强度		EN 310 Type testing 类型测试
Formaldehyde Emission 甲醛含量	E1	EN 717-1(1m ³) E1

Dimensional tolerances 尺寸公差	Declared performance 性能声明	Technical Specification 技术标准
Length and width 长宽	+0 / -3.0mm	EN 324-2
Squareness 方正	+/- 1.0 mm/m	
Straightness 直度	+/- 1.0 mm/m	
Thickness 厚度	See below per Type 型号如下	EN 324-1 / EN 315 / EN 12871
Product Type 型号	3.6mm 5.5mm 9mm 12mm 15mm 18mm 25mm	
Maximum (mm) 最大	3.6 5.5 9 12 15 18 25	
Minimum (mm) 最小	3.3 5.2 8.3 11.3 14.3 17.3 24.2	

Essential characteristics 主要特点		Declared performance 声明性能				Technical Specification 技术标准			
Bending properties 弯曲特点		See below per Type 型号如下				EN 310 Type testing 型号测试			
	Type	3.6mm	5.5mm	9mm	12mm	15mm	18mm	25mm	
Bending strength 弯曲强度(N/mm2)	Fk, 0	F25	F25	F25	F25	F25	F25	F25	
	Fk, 90	F30	F30	F30	F35	F30	F35	F35	
Bending stiffness (N/mm2) MOE	Ek, 0	E35	E35	E35	E35	E30	E35	E35	
	Ek, 90	E35	E35	E35	E40	E35	E40	E40	
Bonding quality		See below per Type 型号如下				EN 314-2 Type testing 型号测试			
	Type	3.6mm	5.5mm	9mm	12mm	15mm	18mm	25mm	
Single test piece	Mpa	0.67	0.67	0.65	0.69	0.67	0.61	0.66	
Number of qualified test pieces/Number of test pieces	%	62	62	67	66	64		66	
Density		See below per Type 型号如下				EN 323 Type testing 型号测试			
	Type	3.6mm	5.5mm	9mm	12mm	15mm	18mm	25mm	
	Kg/m3	560	560	560	564	558	556	560	
Moisure content		See below per Type 型号如下				EN 322 Type testing 型号测试			
	Type	3.6mm	5.5mm	9mm	12mm	15mm	18mm	25mm	
	%	10	10	10	14	11	12	12	
Formaldehyde Emission		See below per Type 型号如下				EN 717-1 Type testing 型号测试			
	Type	3.6mm	5.5mm	9mm	12mm	15mm	18mm	25mm	
	E1	E1	E1	E1	E1	E1	E1	E1	



CE Marking

C&D-YF-POP/EUCA COMBI-CE2+

Product Identification	COMBI CORE PLYWOOD EN 636-2 S
------------------------	-------------------------------

Basic panel markings

Product Types	3.6mm	5.5mm	9mm	12mm	15mm	18mm	25mm	
---------------	-------	-------	-----	------	------	------	------	--

 1034 C&D-YF-POP/EUCA COMBI-CE2+ 1 EN 13986:2004 Bond Class 2 E1 COMBI Plywood EN 636-2 S XXmm Structural Components	CE Symbol	
	Notified Body Number	0407-CPR-552
	Manufacturing Mill	Xuzhou Yafei Wood Co., Ltd.
	Years of CE Marking Declaration of Performance	
	Harmonised Standard Bond Quality Release of formaldehyde	
	Product Identification Product Type	
	Intended use as structural components in humid conditions	

Place and date of issue PIZHOU XUZHOU China Apr 11, 2017	Issued by Yuange zhang	Signature 
--	-------------------------------	--

Product Identification	POP/EUCA COMBI CORE PLYWOOD				EN 636-2 S			
Product Types	3.6mm	5.5mm	9mm	12mm	15mm	18mm	25mm	

Name and contact address of The manufacturer	Xuzhou Yafei Wood Co., Ltd. Guanhu Town, Pizhou City Jiangsu Province, China
Mill identification	C&D--YF
In compliance to	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Article 33 Duty to communicate information on substances in articles
And acknowledging the	Candidate List of Substances of Very High Concern for Authorisation (published in accordance with Article 59(10) of the REACH Regulation) Last updated: 20 June 2013 to contain 144 substance.

We hereby state that	We are the ARTICLE producer of the above mentioned product.
	The above mentioned product is softwood plywood made solely of softwood veneers and bonded with phenol-formaldehyde resin, and is not treated with any chemicals.
	The above mentioned product is an ARTICLE which do not contain more than 0.1% of any of the SUBSTANCES of the SVHC list.
	NOTIFICATION is thus not required for this ARTICLE.

Place and date of issue	Issued by	Signature
PIZHOU XUZHOU China Apr 11, 2017	Yuange zhang	张元革

