

SGS-23002/1

Verified bio-based content claims according to NCS 16785:2016

Issued to: Arpa Industriale S.p.A. Via Piumati, 91 I-12042 Bra (CN) Italy

Scope of production plants:

1. BRA (I)

Relative to the production of:

Thin laminates for interior use

Manufacturing of the above indicated materials for interior design and the test reports and statement, drawn up and calculated by the manufacturer according to EN 16785:2015 standard, has been submitted with positive results to the verification of percentage of bio-based material according to the NEN certification scheme NCS 16785 for Bio-based Content, Version November 2016. ¹⁴C content is determined by testing according to CEN/TS 16640:2017.

Declared bio-based content:

- Product family HPL BLOOM ≥ 64%

Declared bio-based content related to total carbon: - Product family HPL BLOOM ≥ 69%

The NCS 16785 foresees a bi-annual compliance verification of the bio-based content of the certified products by testing, according to CEN/TS 16640:2014.

This certificate does not offer any rights to use the name or the logo of the Certification Body or to connect the Certification Body in any other way with a justified confidence that the product continues to meet the requirements NCS 16785. This certificate does give the right to use the logo according NCS 16785 as shown below:

biobased %

This declaration is valid from 23 March 2023 until 23 March 2028.

SGS INTRON Certificatie B.V.

Ing. L.J.M. Grannetia Certification Manager

This certificate consists of 3 pages.

SGS INTRON Certificatie B.V., Venusstraat 2 Postbus 267, NL-4100 AG CULEMBORG T : +31 88 21 45 133 www.sgs.com/intron-certificatie



Annex A to certificate SGS-23002/1

Subject of this declaration are the following products:

HPL BLOOM (0,7 mm)

- o Bianco (0001)
- Bianco Azzurro (0010)
- o Bianco Nube (0028)
- Sabbia (0021)
- Grigio Medio (0210)
- Grigio Perla (0211)
 Borociliano (0214)
- Porcellana (0244)
 Opinia Olivia (0244)
- Grigio Siliceo (0247)
- Bianco Decò (0249)
 Avorio Cisa (0266)
- Blu Notte (0507)
- Nero (0509)
- Grigio Antracite (0526)
- Grigio Argento (0527)
- Cioccolato (0553)
- Grigio Alpaca (0616)
- Grigio Viola (0622)
- Grigio Ferro (0623)
- Grigio Vernice (0700)
- Castoro Fiber (0735)
- o Grigio British (0736)
- o Beige Atlantide (0737)
- o Grigio Traffico (0738)
- o Grigio Tela (0739)
- Cacao Nocorin (0758)
- o Rosso Purjai (0759)
- Verde Modo (0760)
- o Grigio Rimant (0761)
- o Rosa Bourbon (0275)
- Rosso Falun (0775)
- Verde Celadon (0776)
- Verde Marino (0777)
- o Maggese (0778)
- o Rosa Shade (0779)
- o Blu Berta (0780)
- Verde Pino (0781)
- Viola Ossiro (0795)
- Blu Abash (0796)
- Grigio Aganora (0797)
- Verde Matiki (0798)

SGS INTRON Certificatie B.V., Venusstraat 2 Postbus 267, NL-4100 AG CULEMBORG T : +31 88 21 45 133 www.sgs.com/intron-certificatie



Annex A to certificate SGS-23002/1

Product: Product family HPL BLOOM

Product group: Product group II (according NCS 16785)

Test report: 222699 (SGS INTRON B.V.)

Test laboratory: Beta Analytic (United States)

SGS INTRON Certificatie B.V., Venusstraat 2 Postbus 267, NL-4100 AG CULEMBORG T : +31 88 21 45 133 www.sgs.com/intron-certificatie