

## DECLARATION OF PERFORMANCE (according EU 305/2011, Annex V) Reference number 02-0014-02

## Identification code of the product type Hardboard HB EN 622-2

## Name and address of the manufacturer STEICO SE, Otto-Lilienthal-Ring 30, D-85622 Feldkirchen, Germany, Email: info@steico.com

Name and address of the authorised representative not relevant

Product type	Intended use	AVCP*	Notified Body reference	Notified Test Institute
Hardboard HB	Non-structural, dry	3	ITD Poznan; Wood technology institute; ul. Winiarska 1, 60- 654 Poznan / Poland	No. 1583
*Assessment and ve	rification of constancy of	f performance :	system according to Annex V of regulati	on (EU) No 305/2011

## **Declared performance**

Essential characteristics	Performance			Harmonised technical specification
Thickness	2,5 mm ≤ t ≤ 3,5 mm	3,5 < t ≤ 5,5 mm	t > 5,5 mm	•
Reaction to fire	Klasse E	Klasse E	Klasse E	
Water vapour permeability µ	NPD	NPD	NPD	
Release of formaldehyde	E1	E1	E1	
Release (content) of pentachlorophenol (PCP)	n.a. <sup>a</sup>	n.a.ª	n.a. <sup>a</sup>	
Airborne sound insulation (surface mass) (R)	NPD	NPD	NPD	EN 13986:2004
Sound absorption α	NPD	NPD	NPD	
Thermal conductivity $\lambda$	NPD	NPD	NPD	
Durability				
Swelling in thickness	37 %	30 %	25 %	
Internal Bond	0,50 N/mm <sup>2</sup>	0,50 N/mm <sup>2</sup>	0,50 N/mm <sup>2</sup>	
Bending strength	30 N/mm²	30 N/mm²	25 N/mm²	
Biological durability	Dry conditions			
Notes to table: n.a. not applicable				

The performance of the product identified is in conformity with the declared performance. This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Dr. Michael Makas Head of R&D / QM (name and function)	Feldkirchen, 23/10/2013 (place and date of issue)	b.o. (signature)	fle. Jerclency
--	--	---------------------	----------------

Date: 23/10/2013	Revised: -
------------------	------------